	1 A - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	A (! 4/ -)
	Application No.	Applicant(s)
Nation of Allowahility	10/629,217	KODAMA ET AL.
Notice of Allowability	Examiner	Art Unit
	Kiet T. Nguyen	2881
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-17.</u>		
3. The drawings filed on 29 April 2004 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply MENT of this application.	complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying Indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawir	ngs in the front (not the back) of d).
7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the AL MATERIAL.
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	 5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9. Other	
		u
	K R PRI	TET T. NGUYEN MARY EXAMINER

Application/Control Number: 10/629,217

...

Art Unit: 2881

The following is an examiner's statement of reasons for allowance:

The prior art fails to disclose an ion beam device and/or method which includes a gas ion beam irradiated from a rear surface side of a sample to a section of the sample at an incident angle for removing a damage layer on the section as recited in claims 1 and 9; or a holder member for holding a sample which includes a fixing platform provided a fixing surface for fixing a clamp section so that a section of the sample formed by irradiating a focused ion beam from a surface side of the sample is parallel to the fixing surface as recited in claim 13 or perpendicular to the fixing surface and the surface of the sample is positioned at the fixing surface as recited in claim 16.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kiet T. Nguyen whose telephone number is 571-272-2479. The examiner can normally be reached on Monday-Friday from 8.00 AM to 6.00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John R Lee, can be reached on Monday-Friday. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for Application/Control Number: 10/629,217

Art Unit: 2881

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KIET T. NGUYEN PRIMARY EXAMINER Page 3